

INTERIOR RENOVATION TO:
175 SUNSET AVE

OCEAN COUNTY HEALTH DEPARTMENT

TOMS RIVER, NEW JERSEY

2026

PLAN REVIEW DATA

APPLICABLE CODES AND STANDARDS

UNIFORM CONSTRUCTION CODE STATE OF NEW JERSEY, LATEST EDITION AND ALL OF ITS SUBCODES AND AMENDMENTS (N.J. REHAB SUB CODE)
NEW JERSEY REHABILITATION SUBCODE 8:23-6
INTERNATIONAL BUILDING CODE / 2021
INTERNATIONAL RESIDENTIAL CODE / 2021
INTERNATIONAL MECHANICAL CODE / 2021
INTERNATIONAL FUEL GAS CODE / 2021
ASHRAE 90.1 - 2010 (COMMERCIAL)
INTERNATIONAL ENERGY CONSERVATION CODE - NJ ED, 2021
NATIONAL STANDARD PLUMBING CODE / 2021
NATIONAL ELECTRIC CODE / 2020
ANSI A17.1-2017
WFCM (WOOD FRAMED CONSTRUCTION) HIGH WIND AREAS FOR ONE & TWO FAMILY DWELLINGS
GUIDELINES FOR DESIGN AND CONSTRUCTION OF OUTPATIENT FACILITIES - 2018 EDITION
ALL ALTERATIONS WORK TO COMPLY WITH ALL APPLICABLE PROVISIONS OF NJAC SECTION 8:23-6.6 OF THE NJUCC

OCCUPANCY CLASSIFICATION

USE GROUP	B - EXISTING - NO CHANGE
OCCUPANT LOAD	EXISTING - NO CHANGE

CONSTRUCTION CLASSIFICATION

PER TABLE (602) SECTION (602)

TYPE	2B - PARTIALLY SPRINKLERED EXISTING
ALLOWABLE AREA	23,000 PER FLOOR
ALLOWABLE HEIGHT	3 STORIES, 88 FEET

NEW BUILDING ELEMENTS

FIRE RESISTANCE RATINGS

WHERE APPLICABLE, AS PER TABLE (601)

- STRUCTURAL FRAME (a)
(INCLUDING COLUMNS, GIRDERS, TRUSSES)
- BEARING WALLS
EXTERIOR (1)
INTERIOR
- NON BEARING WALLS & PARTITIONS
EXTERIOR
INTERIOR (a)
- FLOOR CONSTRUCTION
(INCLUDING SUPPORTING BEAMS AND JOISTS)
- ROOF CONSTRUCTION
(INCLUDING SUPPORTING BEAMS AND JOISTS)
- FIRE WALLS (706.4)
- FIRE BARRIERS (TABLE 707.3.10)
- FIRE PARTITIONS (708.3)
- SHAFTS (713.4)
- EXIT ACCESS CORRIDORS (TABLE 1020.2)

0 HOURS
0 HOURS
0 HOURS
0 HOURS
0 HOURS
0 HOURS
2 HOURS
2 HOURS
1 HOUR
1 HOUR
1 HOUR

BUILDING CHARACTERISTICS

NUMBER OF STORIES	2 - EXISTING
HEIGHT OF STRUCTURE	EXISTING - NO CHANGE
AREA OF RENOVATION	+/- 2,625 SQ. FT.

AUTOMATIC SPRINKLER SYSTEMS

PER SECTION 903

THE BUILDING IS PARTIALLY EQUIPPED WITH AN AUTOMATIC SPRINKLER SYSTEM.
NO CHANGE TO EXISTING LAYOUT.

INTERIOR FINISH NOTES

INT. FINISHES SHALL COMPLY W/ SECTION (803.13) & SHALL HAVE
A FLAME SPREAD RATING AS OUTLINED BELOW:

NON SPRINKLERED		
REQ'D VERT. EXITS AND PASSAGEWAYS	A	FLAME SPREAD 0-25
EXIT ACCESS CORRIDORS	B	FLAME SPREAD 26-75
ROOMS AND ENCLOSED SPACES	C	FLAME SPREAD 76-200

SMOKE DEVELOPES 0-450
SMOKE DEVELOPES 0-450
SMOKE DEVELOPES 0-450

TEXTILE FLOOR FINISH SHALL COMPLY WITH REQUIREMENTS OF THE
DOC FF-1 "FILL TEST" (CPSO 16 CFR PART 1630) OR WITH ASTM D2880

FLOOR FINIS IN STAIRWAYS, RAMPS, EXIT PASSAGEWAYS AND
CORRIDORS SHALL BE NOT LESS THEN CLASS 2 MINIMUM CRITICAL
RADIANT FLUX.

STANDARD ABBREVIATIONS

ABOVE FINISH FLOOR ACOUSTICAL CEILING TILE AIR CONDITIONING ALTERNATE ALUMINUM APPROVED AT	A.F.F. A.C.T. A/C ALT. ALUM. APPD. @	FIRE EXTINGUISHER FLOOR DRAIN FLOOR SINK FLUORESCENT FOOTING FURNISH FURRING	F.E. FL./PLR. F.D. F.S. FLUOR. FTG. FURN. FURR.	MASONRY MASONRY OPENING MAXIMUM MECHANICAL MEMBRANE MIN. MISCELLANEOUS	MAS. M.O. MAX. MECH. MEMB. MIN. MISC.	SAFETY SCHEDULE SECTION SOLID CORE SHEET SIMILAR SPECIFICATIONS SQUARE FOOT STAINLESS STEEL STEEL STORAGE STORAGE CLOSET	SFTY. SCHED. SECT. S.C. SHT. SIM. SPEC. SQ. S.F. S.S. STL. STOR. ST. CL.
BLOCK BLOCKING BOARD BUILDING	BLK. BLKG. BD. BLDG.	GAUGE GALVANIZED GENERAL GENERATOR GENERAL CONTRACTOR(OR) GLASS, GLAZING GRADE GYPSUM WALLBOARD GROUND FAULT INTERRUPTER	GA. GALV. GEN. GC. GL. GR. G.W.B./GYF. BD. G.F.I.	NORTH NOMINAL NOT IN CONTRACT NOT TO SCALE NUMBER	N NOM. NIC. N.T.S. NO.	TOTAL LOAD TOP OF DECK TOP OF FOOTING TOP OF MASONRY TOP OF PIER TOP OF SLAB TOP OF STEEL TOP OF WALL TYPICAL TREAD	TL. T.O.D. T.O.F. T.O.M. T.O.P. T.O.S. T.O.STL. T.Y.F. T
CARPET CEILING CENTERLINE CERAMIC CERAMIC TILE COATS COLD WATER COLUMN CONCRETE CONCRETE MASONRY UNIT CONTINUOUS/CONTINUE CONTRACTOR CONTROL JOINT CLEAN OUT	C.P.T. CLG. C. CER. CT. CTS. C.W. COL. CONC. CMU. CONT. CONTR. C.J. C.O.	HEIGHT HIGH POINT HOLLOW CORE HOLLOW METAL HOLLOW METAL FRAME HOSE BIB HOT WATER HOUR	HT. H.P. H.C. HM. HMF. H.B. H.W. HR.	PAINT PAINTED PARTITION PARALLEL STRAND LUMBER PLASTER PLASTIC LAMINATE PLATE PLUMBING POLYVINYL CHLORIDE POUNDS PER CUBIC FOOT POUNDS PER LINEAL FOOT POUNDS PER SQUARE FOOT POUNDS PER SQUARE INCH PREFABRICATED	OFF. O.C. OPNG. OD. O.H. FT. PTD. PARTN. P.S.L. PLAS. PLAM. FL. FLBG. F.V.C. P.C.F. P.L.F. P.S.F. P.S.I. PREFAB.	UNDERWRITERS LABORATORIES UNFINISHED UNIFORM BUILDING CODE	UL. UNF. U.B.C.
DEAD LOAD DEMOLISH, DEMOLITION DIAMETER DIFFUSER DIMENSION DOWN DITTO	D.L. DEMO. DIA./ Ø DIFF. DIM. DN. "da"	INSULATION INTERIOR INVERT JOINT LAMINATE(S) LAMINATED VENEER LUMBER LAVATORY LIVE LOAD LOUVER LOW POINT	INSUL. INT. INV. JT. LAM. L.V.L. LAV. LL. LVR./LOUV. LP.	QUARRY TILE RADIUS REFERENCE REINFORCE, REINFORCING REQUIRED RISER ROOF DRAIN ROOF SCUPPER ROUGH OPENING	Q.T. RAD. REF. REINF. REQ./REQ'D. R. R.D. R.S. R.O.	WATER CLOSET WATERPROOF, WEATHERPROOF WELDED WIRE FABRIC WELDED WIRE MESH WIRE GLASS WITH WITHOUT WOOD	W.C. W.P. W.W.F. W.W.M. W.GL. W/ W/O WD.
EQUAL EQUIPMENT EXISTING EXTERIOR	EQ. EQUIP. EXIST./EXIST'G EXT.	MAINTENANCE/MAINTAIN MANUFACTURER	MAINT. MFR./MANUF.				
FLOOR CLEAN OUT FEET, FOOT FINISH FINISH FLOOR	F.C.O. FT. FIN. FF.						

NOTE: THIS LIST REPRESENTS ABBREVIATIONS THAT MAY OR MAY NOT APPEAR IN THESE DOCUMENTS. CONTACT YEZZI ASSOCIATES FOR ANY CLARIFICATIONS REGARDING THE ABBREVIATIONS

SYMBOL KEY

DETAIL NUMBER DETAIL CALLOUT	ROOM IDENTIFICATION	COLUMN MARK
SHEET NUMBER SECT. NUMBER	DOOR NUMBER DOOR CALLOUT	EXIST'G ENTITY TO REMAIN
SECTION CALLOUT	ROOM NUMBER EXTERIOR	WALL TYPE KEY
SHEET NUMBER EXT. ELEV. NUMBER	EXTERIOR WINDOW CALLOUT	ELEVATION MARK
EXTERIOR ELEVATION CALLOUT	WINDOW NUMBER INTERIOR	NORTH ARROW
SHEET NUMBER INT. ELEV. NUMBER	INTERIOR WINDOW CALLOUT	
INTERIOR ELEVATION CALLOUT	WINDOW NUMBER	

NOTES

- DO NOT SCALE DRAWINGS
- FIELD CHECK ALL DIMENSIONS PRIOR TO THE START OF CONSTRUCTION.
- WHERE THERE MAY BE A CONFLICT BETWEEN THE DRAWINGS AND THE ACTUAL FIELD CONDITIONS THE CONTRACTOR SHALL NOTIFY THE ARCHITECTS WHO WILL MAKE THE NECESSARY REVISIONS.
- PLANS TO CONFORM WITH THE STRUCTURE REQUIREMENTS OF THE INTERNATIONAL BUILDING CODE, LATEST EDITION.
- ALL WORK MUST BE PROTECTED. ANY SUCH WORK DAMAGED IN THE COURSE OF CONSTRUCTION WILL BE REPAIRED OR REPLACED BY THE CONTRACTOR AT HIS EXPENSE.
- ALL ITEMS THAT ARE DAMAGED AND NOT REUSABLE SHALL BE REPLACED BY THE CONTRACTOR AT HIS OWN EXPENSE.
- THE CONTRACTOR SHALL MAINTAIN THE THERMAL AND ACOUSTICAL PROPERTIES OF THE BUILDING DURING CONSTRUCTION.
- AT THE END OF EACH WORKING DAY THE CONTRACTOR SHALL REMOVE ALL CONSTRUCTION RUBBLE FROM THE SITE.
- ALL ITEMS MARKED ON THE DRAWINGS TO BE REMOVED SHALL ALSO MEAN PATCH TO MATCH SURROUNDING CONDITIONS.
- ALL TRADES TO COORDINATE THEIR WORK SO THERE WILL BE NO DUPLICATION OF WORK.
- ALL TRADES TO DO THEIR OWN CUTTING AND PATCHING UNLESS OTHERWISE NOTED ON THE DRAWINGS.
- THE CONTRACTOR SHALL EXAMINE ALL EXISTING CONDITIONS PRIOR TO BIDDING AND STARTING CONSTRUCTION & TAKE PHOTOGRAPHS OF ALL EXISTING CONDITIONS.
- THE GENERAL CONTRACTOR SHOULD BE RESPONSIBLE FOR ALL THE TRADES INVOLVED IN THE PROJECT-G.C. TO PROVIDE ALL DRAWINGS TO EACH SUB-CONTRACTOR FOR TOTAL COORDINATION OF WORK.
- ALL EXISTING UTILITIES IN CONFLICT WITH THE WORK SHALL BE TURNED OFF BY THE CONTRACTOR / UTILITY COMPANIES PRIOR TO START OF DEMOLITION / CONSTRUCTION.

NOTE:

THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR ALL THE TRADES INVOLVED IN THE PROJECT-G.C. TO PROVIDE ALL DRAWINGS TO EACH SUB-CONTRACTOR FOR TOTAL COORDINATION OF WORK.

INDEX OF DRAWINGS

ARCHITECTURAL DRAWINGS



I	CODE	PROJECT DATA & CODE RESEARCH
2	EX-1	EXISTING CONDITION PHOTOGRAPHS
3	A-1	FLOOR PLAN & INTERIOR ELEVATIONS
4	A-2	FLOOR PLAN & INTERIOR ELEVATIONS
5	A-3	FLOOR PLAN & INTERIOR ELEVATIONS
6	A-4	FLOOR PLAN & INTERIOR ELEVATIONS
7	A-5	DETAILS

SCOPE OF WORK

NEW INTERIOR FINISHES AS FOLLOWED

- CHAIR RAIL - PROVIDED BY OWNER, INSTALLED AND PAINTED BY GC.
- BEAD BOARD - PROVIDE, INSTALLED AND PAINTED BY GC.
- INTERIOR WALLS PAINT BY GC COLOR AS SELECTED BY ARCHITECT/OWNER.
- REMOVE EXISTING WALL BASE AND INSTALL NEW WALL BASE AS INDICATED - PROVIDE AND INSTALLED BY GC. COLOR AS SELECTED BY ARCHITECT/OWNER.
- CROWN MOLDING AS INDICATED - PROVIDED, INSTALLED AND PAINTED BY GC.
- ALL EXISTING FLOORING AND CEILING TO REMAIN.

AREA OF WORK



ARCHITECTURE

PLANNING
ENGINEERING
INTERIORS
MANAGEMENT
18 Washington Street
P.O. Box 1633
Toms River, NJ 08794
Tel: 732-240-3433
Fax: 732-240-3463
E-mail: info@yezziassociates.com
Website: www.yezziassociates.com

Massimo Frances Yezzi, Jr.

Architect No. C 7478	-NJ
Planner No. 2368	-NJ
Architect No. 012392	-NY
Architect No. 0127305	-PA
Architect No. 7460	-CT
Architect No. 04478	-NC
Architect No. 8878	-SC
Architect No. 02304	-FL
Architect No. 8733	-NV
Architect No. 0787-008	-WISC
Architect No. 3904	-NCARB
Architect No. 3926377	-AIA

Philip J. Reins

Architect No. A101644000	-NJ
Architect No. 0230505	-NY

YEZZI INTERIORS

Tel: 732-240-3432

Sara Reudmiller

Int. Designer No. ID0090100	-NJ
Int. Designer No. 3766	-NCIDQ

Samantha Karaszyn

Int. Designer No. ID0052100	-NJ
Int. Designer No. 240207	-NCIDQ

Seal

2	A-4
---	-----

1

A-5

Signature

Signature Not Valid Without Raised Seal

INTERIOR RENOVATION TO: OCEAN COUNTY HEALTH DEPARTMENT

Project

Project Set Date

9/16/26

Revisions By Date

Sheet Title

PROJECT DATA & CODE RESEARCH

Drawn By

SR

1

Check'd By

MFY

7

Sheet No.

Project No.


YC26126

COVER


#163 STAFF LOUNGE




#2-203 STAFF LOUNGE



#2-217 BOARD ROOM



#2-214 LOBBY




#2-218 KITCHEN




20



2



7



12



17



21



3



8



13



18




22




4



9



14



19



23




5




10



15



24



25

TAGGED NOTES	
DEMOLITION	
1	REMOVE EXISTING CHAIR RAIL IN ITS ENTIRETY - PATCH WALLS TO MATCH SURROUNDING CONDITIONS. (TYP.)
2	REMOVE EXISTING CHAIR RAIL IN ITS ENTIRETY - GC TO REFINISH THE ORIGINAL CHAIR RAIL AND REINSTALL. (TYP.)
3	REMOVE EXISTING WALL BASE IN ITS ENTIRETY - PATCH WALLS TO MATCH SURROUNDING CONDITIONS. (TYP.)
4	REMOVE EXISTING CORNER GUARD PATCH WALLS TO MATCH SURROUNDING CONDITIONS. (TYP.)
5	EXISTING WINDOW TREATMENT TO BE REMOVED AND REINSTALLED UPON COMPLETION OF WORK. (TYP.)
GENERAL NOTES	
• PROVIDE, ERECT, AND MAINTAIN TEMPORARY BARRIERS AT DOORWAYS.	
• PROTECT EXISTING ITEMS INDICATED TO REMAIN.	
• REMOVE DEMOLISHED MATERIALS FROM SITE AS WORK PROGRESSES.	
• LEAVE AREAS OF WORK IN CLEAN CONDITION.	
• REMOVE AND REINSTALL ALL EXISTING WALL MOUNTED SIGNAGE UPON COMPLETION OF WORK.	

NOTE	
THE PHOTOGRAPHS INDICATED ON THESE DRAWINGS ARE FOR REFERENCE ONLY TO INDICATE THE EXISTING BUILDING CONDITIONS AT THE TIME OF OUR FIELD INSPECTION. ALL DEMOLITION REQUIRED TO SUCCESSFULLY COMPLETE THIS PROJECT SHALL BE INCLUDED IN THE GENERAL CONTRACTORS SCOPE OF WORK. THE GENERAL CONTRACTOR IS TO COORDINATE THE EXTENT OF DEMOLISH WITH THE ENTIRE SET OF DRAWINGS AND FIELD CONDITIONS. REFER TO SHEET D-1 FOR KEYED DEMOLITION NOTES.	

YEZZI ASSOCIATES
ARCHITECTURE
PLANNING
INTERIORS
MANAGEMENT
18 Washington Street
Toms River, NJ 08754
Tel: 732-240-3433
Fax: 732-240-3463
E-mail: info@yezziassociates.com
Website: www.yezziassociates.com

Massimo Frances Yezzi, Jr.
Architect No. C 7478 -NJ
Planner No. 2368 -NJ
Architect No. 012302 -NY
Architect No. 012305 -PA
Architect No. 7460 -CT
Architect No. 04775 -NC
Architect No. 8075 -SC
Architect No. 02304 -FL
Architect No. 8733 -NV
Architect No. 0787-008 -WISC
Architect No. 30914 -NCARB
Architect No. 3026377 -AIA

Philip J. Reins
Architect No. A10164400 -NJ
Architect No. 023006 -NY

YEZZI INTERIORS
Tel: 732-240-3432

Sara Reindiller
Int. Designer No. ID0090100 -NJ
Int. Designer No. 37166 -NCIDQ

Samantha Karaszyn
Int. Designer No. ID0052100 -NJ
Int. Designer No. 240207 -NCIDQ


Signature _____ Date _____
Signature Not Valid Without Raised Seal

OCEAN COUNTY HEALTH DEPARTMENT
179 SUNSET AVE
OCEAN COUNTY
TOMS RIVER
NEW JERSEY


Project: _____
Project Start Date: 9/16/26
Revisions: _____ By: _____ Date: _____

Sheet Title: EXISTING CONDITION PHOTOGRAPHS
Drawn By: SR 2
Check By: MFY 07
Sheet No: _____
Project No: YC26126


EX-1



2 DEMOLITION INTERIOR ELEVATIONS @ #163 STAFF LOUNGE
SCALE: 1/4" = 1'-0"




3 PROPOSED INTERIOR ELEVATIONS @ #163 STAFF LOUNGE
SCALE: 1/4" = 1'-0"



KEY PLAN
SCALE: N.T.S.

- TAGGED NOTES**
- DEMOLITION**
- 1 REMOVE EXISTING CHAIR RAIL IN ITS ENTIRETY - PATCH WALLS TO MATCH SURROUNDING CONDITIONS. (TYP.)
 - 2 REMOVE EXISTING CHAIR RAIL IN ITS ENTIRETY - GC TO REFINISH THE ORIGINAL CHAIR RAIL AND REINSTALL. (TYP.)
 - 3 REMOVE EXISTING WALL BASE IN ITS ENTIRETY - PATCH WALLS TO MATCH SURROUNDING CONDITIONS. (TYP.)
 - 4 REMOVE EXISTING CORNER GUARD PATCH WALLS TO MATCH SURROUNDING CONDITIONS (TYP.)
 - 5 EXISTING WINDOW TREATMENT TO BE REMOVED AND REINSTALLED UPON COMPLETION OF WORK (TYP.)
- PROPOSED**
- 1 PROVIDE CHAIR RAIL AS INDICATED. (TYP.)
 - 2 GC TO REFINISH THE ORIGINAL CHAIR RAIL AND REINSTALL. (TYP.)
 - 3 INSTALL BEAD BOARD BELOW CHAIR RAIL AS INDICATED. (TYP.)
 - 4 INSTALL V-GROOVE WALL PANELING BELOW CHAIR RAIL OVER EXISTING WALL COVERING AS INDICATED. (TYP.)
 - 5 PROVIDE NEW WALL BASE AS INDICATED. (TYP.)
 - 6 INSTALL NEW CROWN MOLDING AS INDICATED. (TYP.)
 - 7 EXISTING WINDOWS/DOORS TO REMAIN - GC TO CLEAN ALL SURFACES. (TYP.)
 - 8 EXISTING CASEWORK TO REMAIN. (TYP.)
 - 9 EXISTING FLOORING TO REMAIN. (TYP.)
 - 10 EXISTING CEILING, FIXTURES, & DEVICES TO REMAIN. (TYP.)
 - 11 REINSTALL EXISTING WINDOW TREATMENT UPON COMPLETION. (TYP.)
 - 12 PAINT EXISTING WALL ABOVE CHAIR RAIL - COLOR AS SELECTED BY ARCHITECT/OWNER.(TYP.)
- GENERAL NOTES**
- PROVIDE, ERECT, AND MAINTAIN TEMPORARY BARRIERS AT DOORWAYS.
 - PROTECT EXISTING ITEMS INDICATED TO REMAIN.
 - REMOVE DEMOLISHED MATERIALS FROM SITE AS WORK PROGRESSES.
 - LEAVE AREAS OF WORK IN CLEAN CONDITION.
 - REMOVE AND REINSTALL ALL EXISTING WALL MOUNTED SIGNAGE UPON COMPLETION OF WORK.



1 PARTIAL PLAN @ FIRST FLOOR STAFF LOUNGE
SCALE: 1/4" = 1'-0"

FINISH SCHEDULE								
ROOM		FLOOR		BASE	WALLS		CEILING	
RM#	NAME	MAT'L	FINISH	MAT'L	MAT'L	FINISH	MAT'L	HEIGHT
163	STAFF LOUNGE	EXIST	EXIST	V-1	GYP. BD	CHAIR RAIL @ 3'-0" W/ PAINT ABOVE & WALL PANELING PAINTED BELOW	EXIST W/ CROWN MOLDING	9'-0"
FINISH SCHEDULE LEGEND & NOTES								
FINISHES:						NOTES		
WB-1	MANUFACTURED BY GARDEN STATE LUMBER MODEL #L163E OR ARCHITECT/OWNER APPROVED EQUAL - PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT/OWNER					1. ALL FINISHES SHALL BE AS SELECTED BY THE ARCHITECT/OWNER. GC IS TO COORDINATE ALL FINISHES WITH THE ARCHITECT/OWNER PRIOR TO INSTALLATION (TYP.) 2. GC TO SUBMIT SHOP DRAWINGS FOR ALL FINISH SYSTEMS & RELATED ITEMS FOR ARCHITECT/OWNER REVIEW, APPROVAL, & SELECTION PRIOR TO CONSTRUCTION (TYP.) 3. GC TO PREPARE ALL SURFACES TO RECEIVE NEW FINISHES (TYP.) 4. ALL FINISHES SHALL BE INSTALLED AS PER MANUFACTURING GUIDE & SPECIFICATIONS 5. PROVIDE MOLD/MILDEW/MOISTURE RESISTANT RESISTANT GYPSUM BOARD AT ALL MOISTURE EXPOSED AREAS.		
WALL PANEL	MANUFACTURED BY GARDEN STATE LUMBER MODEL #V-GROOVE 6" O.C. OR ARCHITECT/OWNER APPROVED EQUAL - PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT/OWNER							
CHAIR RAIL	PROVIDED BY OWNER AND INSTALLED BY GC. - PAINT COLOR AS SELECTED BY ARCHITECT/OWNER * ROOM 2-217 BOARD ROOM & 2-218 KITCHEN, EXISTING CHAIR RAIL IS TO BE REMOVED, SANDED DOWN AND REFINISHED AS SELECTED BY ARCHITECT/OWNER. (TYP.)							
CROWN MOLDING	MANUFACTURED BY GARDEN STATE LUMBER MODEL #L8027 OR ARCHITECT/OWNER APPROVED EQUAL - PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT / OWNER							
PAINT	PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT/OWNER FROM ALL AVAILABLE STANDARD COLORS (TYP.) SEE SPECIFICATION FOR ADDITIONAL INFORMATION.							
DRYWALL: WALLS, GYPSUM BOARD, AND SIMILAR ITEMS								
LATEX SYSTEMS: EGG-SHELL/SATIN FINISH: HIGH PERFORMANCE (HP) UPGRADE 1. 1ST COAT: S-W FROMAR 200 ZERO VOC INTERIOR LATEX PRIMER, B28W2600 (4 MILS. WET, 1.5 MILS. DRY PER COAT). 2. 2ND COAT: S-W FROMAR 200 ZERO VOC LATEX EGG-SHELL, B20-1050 SERIES 3. 3RD COAT: S-W FROMAR 200 ZERO VOC LATEX EGG-SHELL, B20-1050 SERIES (4 MILS. WET, 1.7 MILS. DRY PER COAT).								

Do Not Scale Drawings - Field check all dimensions prior to start of construction.

YEZZI ASSOCIATES
ARCHITECTURE
PLANNING
ENGINEERING
INTERIORS
MANAGEMENT
18 Washington Street
P.O. Box 1633
Toms River, NJ 08754
Tel: 732-240-3433
Fax: 732-240-3463
E-mail: info@yezziassociates.com
Website: www.yezziassociates.com

Massimo Frances Yezzi, Jr.
Architect No. C 7478 -NJ
Planner No. 2368 -NJ
Architect No. 012302 -NY
Architect No. 7460 -PA
Architect No. 04775 -NC
Architect No. 8075 -SC
Architect No. 02304 -FL
Architect No. 8733 -NV
Architect No. 0787-008 -WISC
Architect No. 9394 -NCARB
Architect No. 30262377 -AIA

Philip J. Reins
Architect No. A101644000 -NJ
Architect No. 023006 -NY

YEZZI INTERIORS
Tel: 732-240-3432

Sara Reudmiller
Int. Designer No. ID0050100 -NJ
Int. Designer No. 3766 -NCIDQ

Samantha Karaszyn
Int. Designer No. ID0052100 -NJ
Int. Designer No. 240207 -NCIDQ

Seal

Signature _____ Date _____
Signature Not Valid Without Raised Seal

Project: INTERIOR RENOVATION TO:
OCEAN COUNTY HEALTH DEPARTMENT
179 SUNSET AVE
OCEAN COUNTY
TOMS RIVER
NEW JERSEY

Project Start Date: 9/16/26


Revisions: By: Date:

Sheet Title: FLOOR PLAN & INTERIOR ELEVATIONS


Drawn By: SR 3
Check By: MFY 7

Sheet No: A-1


Project No: YC26126



2 DEMOLITION INTERIOR ELEVATIONS @ #2-203 STAFF LOUNGE
SCALE: 1/4" = 1'-0"




3 PROPOSED INTERIOR ELEVATIONS @ #2-203 STAFF LOUNGE
SCALE: 1/4" = 1'-0"



KEY PLAN
SCALE: N.T.S.

TAGGED NOTES	
DEMOLITION	
1	REMOVE EXISTING CHAIR RAIL IN ITS ENTIRETY - PATCH WALLS TO MATCH SURROUNDING CONDITIONS. (TYP.)
2	REMOVE EXISTING CHAIR RAIL IN ITS ENTIRETY - GC TO REFINISH THE ORIGINAL CHAIR RAIL AND REINSTALL. (TYP.)
3	REMOVE EXISTING WALL BASE IN ITS ENTIRETY - PATCH WALLS TO MATCH SURROUNDING CONDITIONS. (TYP.)
4	REMOVE EXISTING CORNER GUARD PATCH WALLS TO MATCH SURROUNDING CONDITIONS. (TYP.)
5	EXISTING WINDOW TREATMENT TO BE REMOVED AND REINSTALLED UPON COMPLETION OF WORK. (TYP.)
PROPOSED	
1	PROVIDE CHAIR RAIL AS INDICATED. (TYP.)
2	GC TO REFINISH THE ORIGINAL CHAIR RAIL AND REINSTALL. (TYP.)
3	INSTALL BEAD BOARD BELOW CHAIR RAIL AS INDICATED. (TYP.)
4	INSTALL V-GROOVE WALL PANELING BELOW CHAIR RAIL OVER EXISTING WALL COVERING AS INDICATED. (TYP.)
5	PROVIDE NEW WALL BASE AS INDICATED. (TYP.)
6	INSTALL NEW CROWN MOLDING AS INDICATED. (TYP.)
7	EXISTING WINDOWS/DOORS TO REMAIN - GC TO CLEAN ALL SURFACES. (TYP.)
8	EXISTING CASEWORK TO REMAIN. (TYP.)
9	EXISTING FLOORING TO REMAIN. (TYP.)
10	EXISTING CEILING, FIXTURES, & DEVICES TO REMAIN. (TYP.)
11	REINSTALL EXISTING WINDOW TREATMENT UPON COMPLETION. (TYP.)
12	PAINT EXISTING WALL ABOVE CHAIR RAIL - COLOR AS SELECTED BY ARCHITECT/OWNER. (TYP.)
GENERAL NOTES	
• PROVIDE, ERECT, AND MAINTAIN TEMPORARY BARRIERS AT DOORWAYS.	
• PROTECT EXISTING ITEMS INDICATED TO REMAIN.	
• REMOVE DEMOLISHED MATERIALS FROM SITE AS WORK PROGRESSES.	
• LEAVE AREAS OF WORK IN CLEAN CONDITION.	
• REMOVE AND REINSTALL ALL EXISTING WALL MOUNTED SIGNAGE UPON COMPLETION OF WORK.	



1 PARTIAL PLAN @ SECOND FLOOR STAFF LOUNGE
SCALE: 1/4" = 1'-0"

FINISH SCHEDULE							
ROOM		FLOOR		BASE	WALLS		CEILING
RM#	NAME	MAT'L	FINISH	MAT'L	FINISH		MAT'L HEIGHT
2-203	STAFF LOUNGE	EXIST	EXIST	WB-1	GYP. BD	CHAIR RAIL @ 3'-0" W/ PAINT ABOVE & WALL PANELING PAINTED BELOW	EXIST W/ CROWN MOLDING 9'-0"
FINISH SCHEDULE LEGEND & NOTES							
FINISHES:							NOTES
WB-1	MANUFACTURED BY GARDEN STATE LUMBER MODEL #L163E OR ARCHITECT/OWNER APPROVED EQUAL - PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT/OWNER						1. ALL FINISHES SHALL BE AS SELECTED BY THE ARCHITECT/OWNER. G.C. IS TO COORDINATE ALL FINISHES WITH THE ARCHITECT/OWNER PRIOR TO INSTALLATION. (TYP.)
WALL PANEL	MANUFACTURED BY GARDEN STATE LUMBER MODEL #V-GROOVE 6" O.C. OR ARCHITECT/OWNER APPROVED EQUAL - PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT/OWNER						2. GC. TO SUBMIT SHOP DRAWINGS FOR ALL FINISH SYSTEMS & RELATED ITEMS FOR ARCHITECT/OWNER REVIEW, APPROVAL, & SELECTION PRIOR TO CONSTRUCTION. (TYP.)
CHAIR RAIL	PROVIDED BY OWNER AND INSTALLED BY GC. - PAINT COLOR AS SELECTED BY ARCHITECT/OWNER						3. GC. TO PREPARE ALL SURFACES TO RECEIVE NEW FINISHES (TYP.)
	* ROOM 2-217 BOARD ROOM & 2-218 KITCHEN, EXISTING CHAIR RAIL IS TO BE REMOVED, SANDED DOWN AND REFINISHED AS SELECTED BY ARCHITECT/OWNER. (TYP.)						4. ALL FINISHES SHALL BE INSTALLED AS PER MANUFACTURING GUIDE & SPECIFICATIONS
CROWN MOLDING	MANUFACTURED BY GARDEN STATE LUMBER MODEL #L8027 OR ARCHITECT/OWNER APPROVED EQUAL - PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT/OWNER						5. PROVIDE MOLD/MILDEW/MOISTURE RESISTANT RESISTANT GYPSUM BOARD AT ALL MOISTURE EXPOSED AREAS.
PAINT	PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT/OWNER FROM ALL AVAILABLE STANDARD COLORS. (TYP.) SEE SPECIFICATION FOR ADDITIONAL INFORMATION.						
DRIEWALL: WALLS, GYPSUM BOARD, AND SIMILAR ITEMS							
LATEX SYSTEMS:							
EGG-SHELL/SATIN FINISH: HIGH PERFORMANCE (HP) UPGRADE							
1. 1ST COAT: S-W FROMAR 200 ZERO VOC INTERIOR LATEX PRIMER, B20W2600 (4 MILS. WET, 1.5 MILS. DRY PER COAT).							
2. 2ND COAT: S-W FROMAR 200 ZERO VOC LATEX EGG-SHELL, B20-1050 SERIES							
3. 3RD COAT: S-W FROMAR 200 ZERO VOC LATEX EGG-SHELL, B20-1050 SERIES (4 MILS. WET, 1.7 MILS. DRY PER COAT).							

Do Not Scale Drawings - Field check all dimensions prior to start of construction.

YEZZI ASSOCIATES

ARCHITECTURE
PLANNING
ENGINEERING
INTERIORS
MANAGEMENT

18 Washington Street
P.O. Box 1653
Toms River, NJ 08754
Tel: 732-240-3433
Fax: 732-240-3463
E-mail: info@yezziassociates.com
Website: www.yezziassociates.com

Messimo Frances Yezzi, Jr.
Architect No. C 7478 -NJ
Planner No. 2368 -NJ
Architect No. 012302 -NY
Architect No. 0127305 -PA
Architect No. 7460 -CT
Architect No. 04478 -NC
Architect No. 8079 -SC
Architect No. 02304 -FL
Architect No. 8783 -NV
Architect No. 0787-008 -WISC
Architect No. 3094 -NCARB
Architect No. 3926377 -AIA

Philip J. Reins
Architect No. A101644000 -NJ
Architect No. 023006 -NY

YEZZI INTERIORS

Tel: 732-240-3432

Sara Reudmiller
Int. Designer No. ID0090100 -NJ
Int. Designer No. 3766 -NCIDQ

Samantha Karaszyn
Int. Designer No. ID0052100 -NJ
Int. Designer No. 240207 -NCIDQ

Seal

Signature
Signature Not Valid Without Raised Seal

Date

INTERIOR RENOVATION TO:

OCEAN COUNTY HEALTH DEPARTMENT

179 SUNSET AVE
OCEAN COUNTY

TOMS RIVER
NEW JERSEY

Project

Project End Date
9/16/26

Revisions By Date

Sheet Title
FLOOR PLAN & INTERIOR ELEVATIONS

Drawn By
SR

4

Check'd By
MFY


OF

7


Sheet No.

A-2


Project No.
YC26126



2 DEMOLITION INTERIOR ELEVATIONS @ #2-217 BOARD ROOM
A-B SCALE: 1/4" = 1'-0"




3 PROPOSED INTERIOR ELEVATIONS @ #2-217 BOARD ROOM
A-B SCALE: 1/4" = 1'-0"



SECOND FLOOR
KEY PLAN
A-B SCALE: N.T.S.

- TAGGED NOTES**
- DEMOLITION**
- 1 REMOVE EXISTING CHAIR RAIL IN ITS ENTIRETY - PATCH WALLS TO MATCH SURROUNDING CONDITIONS. (TYP.)
 - 2 REMOVE EXISTING CHAIR RAIL IN ITS ENTIRETY - GC TO REFINISH THE ORIGINAL CHAIR RAIL AND REINSTALL (TYP.)
 - 3 REMOVE EXISTING WALL BASE IN ITS ENTIRETY - PATCH WALLS TO MATCH SURROUNDING CONDITIONS. (TYP.)
 - 4 REMOVE EXISTING CORNER GUARD PATCH WALLS TO MATCH SURROUNDING CONDITIONS (TYP.)
 - 5 EXISTING WINDOW TREATMENT TO BE REMOVED AND REINSTALLED UPON COMPLETION OF WORK (TYP.)
- PROPOSED**
- 1 PROVIDE CHAIR RAIL AS INDICATED. (TYP.)
 - 2 GC TO REFINISH THE ORIGINAL CHAIR RAIL AND REINSTALL (TYP.)
 - 3 INSTALL BEAD BOARD BELOW CHAIR RAIL AS INDICTED. (TYP.)
 - 4 INSTALL V-GROOVE WALL PANELING BELOW CHAIR RAIL OVER EXISTING WALL COVERING AS INDICATED. (TYP.)
 - 5 PROVIDE NEW WALL BASE AS INDICATED (TYP.)
 - 6 INSTALL NEW CROWN MOLDING AS INDICATED (TYP.)
 - 7 EXISTING WINDOWS/DOORS TO REMAIN - GC TO CLEAN ALL SURFACES. (TYP.)
 - 8 EXISTING CASEWORK TO REMAIN. (TYP.)
 - 9 EXISTING FLOORING TO REMAIN (TYP.)
 - 10 EXISTING CEILING, FIXTURES, & DEVICES TO REMAIN. (TYP.)
 - 11 REINSTALL EXISTING WINDOW TREATMENT UPON COMPLETION. (TYP.)
 - 12 PAINT EXISTING WALL ABOVE CHAIR RAIL - COLOR AS SELECTED BY ARCHITECT/OWNER(TYP.)

- GENERAL NOTES**
- PROVIDE, ERECT, AND MAINTAIN TEMPORARY BARRIERS AT DOORWAYS.
 - PROTECT EXISTING ITEMS INDICATED TO REMAIN.
 - REMOVE DEMOLISHED MATERIALS FROM SITE AS WORK PROGRESSES.
 - LEAVE AREAS OF WORK IN CLEAN CONDITION.
 - REMOVE AND REINSTALL ALL EXISTING WALL MOUNTED SIGNAGE UPON COMPLETION OF WORK.



1 PARTIAL PLAN @ SECOND FLOOR BOARD ROOM
A-B SCALE: 1/4" = 1'-0"

FINISH SCHEDULE								
ROOM		FLOOR		BASE	WALLS		CEILING	
RM#	NAME	MAT'L	FINISH	MAT'L	FINISH		MAT'L	HEIGHT
2-217	BOARD ROOM	EXIST	EXIST	WB-1	GYP. BD	CHAIR RAIL @ 3'-0" W/ PAINT ABOVE & WALL PANELING PAINTED BELOW	EXIST W/ CROWN MOLDING	8'-0"
FINISH SCHEDULE LEGEND & NOTES								
FINISHES:						NOTES		
WB-1	MANUFACTURED BY GARDEN STATE LUMBER MODEL #L163E OR ARCHITECT/OWNER APPROVED EQUAL - PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT/OWNER					1. ALL FINISHES SHALL BE AS SELECTED BY THE ARCHITECT/ OWNER. GC IS TO COORDINATE ALL FINISHES WITH THE ARCHITECT/OWNER PRIOR TO INSTALLATION. (TYP.) 2. GC. TO SUBMIT SHOP DRAWINGS FOR ALL FINISH SYSTEMS & RELATED ITEMS FOR ARCHITECT/OWNER REVIEW, APPROVAL, & SELECTION PRIOR TO CONSTRUCTION (TYP.) 3. GC. TO PREPARE ALL SURFACES TO RECEIVE NEW FINISHES (TYP.) 4. ALL FINISHES SHALL BE INSTALLED AS PER MANUFACTURING GUIDE & SPECIFICATIONS 5. PROVIDE MOLD/MILDEW/MOISTURE RESISTANT RESISTANT GYPSUM BOARD AT ALL MOISTURE EXPOSED AREAS.		
WALL PANEL	MANUFACTURED BY GARDEN STATE LUMBER MODEL #V-GROOVE 6" O.C. OR ARCHITECT/OWNER APPROVED EQUAL - PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT/OWNER							
CHAIR RAIL	PROVIDED BY OWNER AND INSTALLED BY GC. - PAINT COLOR AS SELECTED BY ARCHITECT/OWNER							
	* ROOM 2-217 BOARD ROOM & 2-218 KITCHEN, EXISTING CHAIR RAIL IS TO BE REMOVED, SANDED DOWN AND REFINISHED AS SELECTED BY ARCHITECT/OWNER. (TYP.)							
CROWN MOLDING	MANUFACTURED BY GARDEN STATE LUMBER MODEL #L0027 OR ARCHITECT/OWNER APPROVED EQUAL - PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT /OWNER							
PAINT	PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT/OWNER FROM ALL AVAILABLE STANDARD COLORS (TYP.) SEE SPECIFICATION FOR ADDITIONAL INFORMATION.							
DRYWALL: WALLS, GYPSUM BOARD, AND SIMILAR ITEMS								
LATEX SYSTEMS:								
EGG-SHELL/SATIN FINISH: HIGH PERFORMANCE (HP) UPGRADE.								
1. 1ST COAT: S-W PROMAR 200 ZERO VOC INTERIOR LATEX PRIMER, B20W2600 (4 MILS. WET, 1.5 MILS. DRY PER COAT).								
2. 2ND COAT: S-W PROMAR 200 ZERO VOC LATEX EGG-SHELL, B20-1980 SERIES								
3. 3RD COAT: S-W PROMAR 200 ZERO VOC LATEX EGG-SHELL, B20-1980 SERIES (4 MILS. WET, 1.7 MILS. DRY PER COAT).								

Do Not Scale Drawings - Field check all dimensions prior to start of construction.

ARCHITECTURE
PLANNING
ENGINEERING
INTERIORS
MANAGEMENT

18 Washington Street
P.O. Box 1653
Toms River, NJ 08754
Tel: 732-240-3433
Fax: 732-240-3463
E-mail: info@yezziassociates.com
Website: www.yezziassociates.com

Massimo Frances Yezzi, Jr.
Architect No. C 7478 -NJ
Planner No. 2368 -NJ
Architect No. 012352 -NY
Architect No. 04778 -PA
Architect No. 7460 -CT
Architect No. 04778 -NC
Architect No. 8075 -SC
Architect No. 02304 -FL
Architect No. 8753 -NV
Architect No. 0787-008 -WISC
Architect No. 9394 -NCARB
Architect No. 39262377 -AIA

Philip J. Reins
Architect No. A101644000 -NJ
Architect No. 023005 -NY

YEZZI INTERIORS
Tel: 732-240-3432

Sara Reudmiller
Int. Designer No. ID0090100 -NJ
Int. Designer No. 3766 -NCIDQ

Samantha Karaszyn
Int. Designer No. ID0052100 -NJ
Int. Designer No. 240207 -NCIDQ

Seal

Signature _____ Date _____
Signature Not Valid Without Raised Seal

Project: INTERIOR RENOVATION TO:
OCEAN COUNTY HEALTH DEPARTMENT
176 SUNSET AVE
OCEAN COUNTY
TOMS RIVER
NEW JERSEY

Project Start Date: 9/16/26

Revisions: By: _____ Date: _____





Sheet Title: FLOOR PLAN & INTERIOR ELEVATIONS

Drawn By: SR 5





Check'd By: MFY 07

Sheet No: A-3





Project No: YC26126







3 DEMOLITION INTERIOR ELEVATIONS @ #2-214 LOBBY
A-4 SCALE: 1/4" = 1'-0"




4 PROPOSED INTERIOR ELEVATIONS @ #2-214 LOBBY
A-4 SCALE: 1/4" = 1'-0"



5 DEMOLITION INTERIOR ELEVATIONS @ #2-218 KITCHEN
A-4 SCALE: 1/4" = 1'-0"



6 PROPOSED INTERIOR ELEVATIONS @ #2-218 KITCHEN
A-4 SCALE: 1/4" = 1'-0"



KEY PLAN
A-4 SCALE: N.T.S.

TAGGED NOTES

DEMOLITION


- 1 REMOVE EXISTING CHAIR RAIL IN ITS ENTIRETY - PATCH WALLS TO MATCH SURROUNDING CONDITIONS. (TYP.)
- 2 REMOVE EXISTING CHAIR RAIL IN ITS ENTIRETY - GC TO REFINISH THE ORIGINAL CHAIR RAIL AND REINSTALL. (TYP.)
- 3 REMOVE EXISTING WALL BASE IN ITS ENTIRETY - PATCH WALLS TO MATCH SURROUNDING CONDITIONS. (TYP.)
- 4 REMOVE EXISTING CORNER GUARD PATCH WALLS TO MATCH SURROUNDING CONDITIONS (TYP.)
- 5 EXISTING WINDOW TREATMENT TO BE REMOVED AND REINSTALLED UPON COMPLETION OF WORK (TYP.)

PROPOSED


- 1 PROVIDE CHAIR RAIL AS INDICATED. (TYP.)
- 2 GC TO REFINISH THE ORIGINAL CHAIR RAIL AND REINSTALL. (TYP.)
- 3 INSTALL BEAD BOARD BELOW CHAIR RAIL AS INDICATED. (TYP.)
- 4 INSTALL V-GROOVE WALL PANELING BELOW CHAIR RAIL OVER EXISTING WALL COVERING AS INDICATED. (TYP.)
- 5 PROVIDE NEW WALL BASE AS INDICATED (TYP.)
- 6 INSTALL NEW CROWN MOLDING AS INDICATED (TYP.)
- 7 EXISTING WINDOWS/DOORS TO REMAIN - GC TO CLEAN ALL SURFACES. (TYP.)
- 8 EXISTING CASEWORK TO REMAIN. (TYP.)
- 9 EXISTING FLOORING TO REMAIN. (TYP.)
- 10 EXISTING CEILING, FIXTURES, & DEVICES TO REMAIN. (TYP.)
- 11 REINSTALL EXISTING WINDOW TREATMENT UPON COMPLETION. (TYP.)
- 12 PAINT EXISTING WALL ABOVE CHAIR RAIL - COLOR AS SELECTED BY ARCHITECT/OWNER.(TYP.)

GENERAL NOTES

- PROVIDE, ERECT, AND MAINTAIN TEMPORARY BARRIERS AT DOORWAYS.
- PROTECT EXISTING ITEMS INDICATED TO REMAIN.
- REMOVE DEMOLISHED MATERIALS FROM SITE AS WORK PROGRESSES.
- LEAVE AREAS OF WORK IN CLEAN CONDITION.
- REMOVE AND REINSTALL ALL EXISTING WALL MOUNTED SIGNAGE UPON COMPLETION OF WORK.



1 PARTIAL PLAN @ SECOND FLOOR LOBBY
A-4 SCALE: 1/4" = 1'-0"



2 PARTIAL PLAN @ SECOND FLOOR KITCHEN
A-4 SCALE: 1/4" = 1'-0"

FINISH SCHEDULE								
ROOM	FLOOR	BASE	WALLS	CEILING				
RM#	NAME	MAT'L	FINISH	MAT'L	FINISH	MAT'L	HEIGHT	
2-214	LOBBY	EXIST	EXIST	WB-1	GYP. BD	PAINT ABOVE & WALL PANELING PAINTED BELOW	EXIST W/ CROWN MOLDING	8'-0"
2-218	KITCHEN	EXIST	EXIST	WB-1	GYP. BD	PAINT ABOVE & WALL PANELING PAINTED BELOW	EXIST W/ CROWN MOLDING	8'-0"

FINISH SCHEDULE LEGEND & NOTES

FINISHES:

WB-1 MANUFACTURED BY GARDEN STATE LUMBER MODEL #L1636 OR ARCHITECT/OWNER APPROVED EQUAL - PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT/OWNER

WALL PANEL MANUFACTURED BY GARDEN STATE LUMBER MODEL #V-GROOVE 6" O.C. OR ARCHITECT/OWNER APPROVED EQUAL - PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT/OWNER

CHAIR RAIL PROVIDED BY OWNER AND INSTALLED BY GC. - PAINT COLOR AS SELECTED BY ARCHITECT/OWNER

* ROOM 2-217 BOARD ROOM & 2-218 KITCHEN. EXISTING CHAIR RAIL IS TO BE REMOVED, SANDED DOWN AND REFINISHED AS SELECTED BY ARCHITECT/OWNER. (TYP.)

CROWN MOLDING MANUFACTURED BY GARDEN STATE LUMBER MODEL #L8027 OR ARCHITECT/OWNER APPROVED EQUAL - PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT /OWNER

PAINT PAINT (1) COAT PRIMER & (2) COATS FINISH COLOR AS MANUFACTURED BY "SHERWIN-WILLIAMS." COLOR AS SELECTED BY ARCHITECT/OWNER FROM ALL AVAILABLE STANDARD COLORS (TYP.) SEE SPECIFICATION FOR ADDITIONAL INFORMATION.

DRYWALL: WALLS, GYPSUM BOARD, AND SIMILAR ITEMS

LATEX SYSTEMS:

EGG-SHELL/SATIN FINISH: HIGH PERFORMANCE (HP) UPGRADE

1. 1ST COAT: S-W PROMAR 200 ZERO VOC INTERIOR LATEX PRIMER, B204N2600 (4 MILS. WET, 15 MILS. DRY PER COAT).
2. 2ND COAT: S-W PROMAR 200 ZERO VOC LATEX EGG-SHELL, B2040960 SERIES
3. 3RD COAT: S-W PROMAR 200 ZERO VOC LATEX EGG-SHELL, B2040960 SERIES (4 MILS. WET, 17 MILS. DRY PER COAT).

NOTES

1. ALL FINISHES SHALL BE AS SELECTED BY THE ARCHITECT/ OWNER. GC IS TO COORDINATE ALL FINISHES WITH THE ARCHITECT/OWNER PRIOR TO INSTALLATION. (TYP.)
2. GC TO SUBMIT SHOP DRAWINGS FOR ALL FINISH SYSTEMS & RELATED ITEMS FOR ARCHITECT/OWNER REVIEW, APPROVAL, & SELECTION PRIOR TO CONSTRUCTION. (TYP.)
3. GC TO PREPARE ALL SURFACES TO RECEIVE NEW FINISHES (TYP.)
4. ALL FINISHES SHALL BE INSTALLED AS PER MANUFACTURING GUIDE & SPECIFICATIONS
5. PROVIDE MOLD/MILDEW/MOISTURE RESISTANT RESISTANT GYPSUM BOARD AT ALL MOISTURE EXPOSED AREAS.

YEZZI ASSOCIATES

ARCHITECTURE
PLANNING
ENGINEERING
INTERIORS
MANAGEMENT

18 Washington Street
P.O. Box 1659
Toms River, NJ 08794
Tel: 732-240-3433
Fax: 732-240-3463
E-mail: info@yezziassociates.com
Website: www.yezziassociates.com

Messimo Frances Yezzi, Jr.

Architect No. C 7478
Planner No. 2368
Architect No. 012392
Architect No. 7460
Architect No. 04775
Architect No. 00775
Architect No. 02304
Architect No. 0733
Architect No. 0787-008
Architect No. 0304
Architect No. 00262377

-NJ
-NJ
-NY
-PA
-CT
-NC
-SC
-FL
-NV
-WISC
-NCARB
-AIA

Philip J. Reins

Architect No. A101644000
Architect No. 023056

-NJ
-NY

YEZZI INTERIORS

Tel: 732-240-3432

Sara Reudmiller

Int. Designer No. ID0090100
Int. Designer No. 3766

-NJ
-NCIDQ

Samantha Karaszyn

Int. Designer No. ID0052100
Int. Designer No. 240207

-NJ
-NCIDQ

Seal

Signature

Date

Signature Not Valid Without Raised Seal

INTERIOR RENOVATION TO:

OCEAN COUNTY HEALTH DEPARTMENT

179 SUNSET AVE
OCEAN COUNTY

TOMS RIVER
NEW JERSEY

Project

Project Sub Date

9/16/26

Revisions

By

Date

Sheet Title

FLOOR PLAN &
INTERIOR ELEVATIONS

Drawn By

SR

6

Check By

MFY

7

Sheet No.


A-4

Project No.


YC26126

OWNERSHIP OF DOCUMENTS: The document, ideas and designs incorporated herein, are instruments of professional service and are the property of Yezzi Associates and are not to be used, copied or reproduced in whole or in part without approval of Yezzi Associates. These documents have been reviewed with the client prior to being signed and sealed by Yezzi Associates to insure conformance with state scope of work.


Do Not Scale Drawings - Field check all dimensions prior to start of construction.




4 TYPICAL OPENING DETAIL
A-B SCALE: 1" = 1'-0"




3 TYPICAL INSIDE CORNER DETAIL
A-B SCALE: 1" = 1'-0"




2 TYPICAL OUTSIDE CORNER DETAIL
A-B SCALE: 1" = 1'-0"




1 ELEVATION DETAIL
A-B SCALE: 3/4" = 1'-0"



7 TYPICAL DETAIL @ WINDOW CROWN MOLDING
A-B SCALE: 3/4" = 1'-0"



6 DETAIL @ CORNER
A-B SCALE: 1" = 1'-0"



5 TYPICAL CHAIRRAIL/WALL BASE DETAIL
A-B SCALE: 1" = 1'-0"



V-Groove - 6" On Center					
THICKNESS	6" X 8" MDF	6" X 10" MDF	6" X 12" MDF	6" X 8" MDO/PVC	6" X 8" PVC
1/2"	5800	5800-01	5800-02	5800-MDO	5800-PVC

YEZZI ASSOCIATES

ARCHITECTURE
PLANNING
INTERIORS
MANAGEMENT

18 Washington Street
P.O. Box 1653
Toms River, NJ 08794
Tel: 732-240-3433
Fax: 732-240-3463
E-mail: info@yezziassociates.com
Website: www.yezziassociates.com

Massimo Frances Yezzi, Jr.
Architect No. C 7478 -NJ
Planner No. 2368 -NJ
Architect No. 012302 -NY
Architect No. 01273-05 -PA
Architect No. 04478 -CT
Architect No. 04478 -NC
Architect No. 00775 -SC
Architect No. 02304 -FL
Architect No. 0733 -NV
Architect No. 0787-008 -WISC
Architect No. 33014 -NCARB
Architect No. 3926377 -AIA

Philip J. Reins
Architect No. A101644000 -NJ
Architect No. 023006 -NY

YEZZI INTERIORS
Tel: 732-240-3432

Sara Reudmiller
Int. Designer No. ID0090100 -NJ
Int. Designer No. 3766 -NCIDQ

Samantha Karaszyn
Int. Designer No. ID0092100 -NJ
Int. Designer No. 240207 -NCIDQ

Seal

Signature _____ Date _____
Signature Not Valid Without Raised Seal

Project: INTERIOR RENOVATION TO:
OCEAN COUNTY HEALTH DEPARTMENT
179 SUNSET AVE
OCEAN COUNTY
TOMS RIVER
NEW JERSEY

Project Start Date: 9/16/26

Revisions By Date

Sheet Title: DETAILS

Drawn By: SR 7
Check By: MFY 07

Sheet No: A-5

Project No: YC26126